

**NOTICE RE: CERTIFICATES OF CORRECTION**

DATE : 05/10/02

Paper No.: 8

TO : Supervisor, Art Unit 1700

SUBJECT : Certificate of Correction Request in Patent No.: 6,214,224

A response to the following question is requested with respect to the accompanying request for a certificate of correction.

With respect to the change(s) requested, correcting Office and/or Applicant's errors, should the patent read as shown in the certificate of correction? No new matter should be introduced, nor should the scope or meaning of the claims be changed.

**PLEASE COMPLETE THIS FORM AND  
RETURN WITH FILE, WITHIN 7 DAYS,  
TO CERTIFICATES OF CORRECTION BRANCH - PK 3-915/922  
PALM LOCATION 7580 - TEL. NO. 305-8309**

**THANK YOU FOR YOUR ASSISTANCE!**

Note your decision, regarding the changes requested in the Request for Certificate of Correction, by placing a check mark (+) in the box that reflects your decision, which corresponds to the question checked above.

☐ YES

☒ NO

☐ Comments below

☒ Comments: The proposed changes to claims 11 and 16 (ie. delete "therein") would result in the following recitations: "having the pivotable inlet held" (claims 11 and 16), and "having a massage head held" (claim 16); thereby rendering these claims grammatically incorrect.

[Signature]

Supervisor

1224

Art Unit